

# Abundances and depletion of iron-peak elements in the Strontium Filament of Eta Carinae

# M. A. Bautista<sup>1</sup>, H. Hartman<sup>2</sup>, T. Gull<sup>3</sup>, K. Lodders<sup>4</sup>, M. Melendez<sup>5</sup>, I. M. Martinez<sup>6</sup>

<sup>1</sup>Department of Physics, Virginia Tech, Virginia, USA/ Department of Physics, Western Michigan University, Mi, USA

<sup>2</sup> Lund Observatory, Lund University, Box 43, SE-221 00 Lund, Sweeden

<sup>3</sup> Code 667, NASA Goddard Space Flight Center, Greenbelt, MD, USA

Dept. Of Earth and Planetary Sciences and McDowell Center for the Space Sciences, Washington Univ., Saint Louis, MO, USA
 Code 660, Goddard Space Flight Center, Greenbelt, MD, USA
 Centro de Fisica, IVIC, Caracas, Venezuela

#### Abstract

Strontium Filament found in the ejecta of Eta Carinae. To this end we interpret the emission spectrum of neutral C and singly ionized Al, Sc, Ti, Cr, Mn, Fe, Ni, and Sr, using multilevel non-LTE models for each ion. Since the atomic data for most of these ions was previously unavailable, we carry out ab initio calculations of radiative transition rates and electron impact excitation rate coefficients. The observed spectrum is consistent with an electron density of the order of 10° cm³ and a temperature between 6000 and 7000K. The observed spectra indicate large enhancements in the gas phase Sr/Ni, Sc/Ni, and Ti/Ni abundance ratios relative to solar values. By contrast, the abundance ratios Cr/Ni, Mn/Ni, and Fe/Ni are roughly solar.

In order to explain these results we explore various scenarios of depletion and dust destruction, in the context of nitrogen-rich chemistry. Finally, we discuss the implications of these findings for the generation of dust during the AGB phase of supermassive stars.

#### Introduction

The Strontium filament is in the skirt part of the Homunculus at about 1.5 arcsec to the north-east of  $\eta$  Carinae and moving towards the observer at -100 km/s. The filament was originally identified by [Sr II] emission lines in the red. No emission lines of H or He are present. Only weak [C I] emission is identified among the light elements, but hundreds of emission lines of neutral and singly ionized iron-peak elements are present. Despite the relative proximity to the central ionizing source, the filament is shielded from Ly  $\alpha$  and Ly ionizing photons.

We engaged in a systematic study of the mechanism responsible for the excitation of the spectrum, the chemical composition of the spectrum, and dust formation chemistry in the filament. This works needs to begin from the determination of the atomic parameters of each species, followed by building spectral models and determination of abundances. Here we review the results of this work.

#### Atomic data






Fig. 1. Comparison of log(A) for Cr II between our calculations and experimental determinations of Nilsson et al. (2006)




We have calculated atomic data (transition rates for dipole allowe and forbidden transitions and collision strengths for electron imparexcitation) needed to model the spectra of Sc II, Ti II, Cr II, Mn I Ni II, and Sr II. For this we have used state-of-the-art theoretic methods, i.e the atomic structure code AUTOSTRUCTURE for radiative data and the R-matrix methods for scattering calculation. The calculated data is compared against any other available dat from either theoretical calculations or experiments.

#### Spectral modes

Our spectral models include electron impact excitation and continuum fluorescence, with the radiation field approximated by a black body with temperature  $\mathbb{T}_{\mathbb{R}}{=}35,000K$  for photon energies below the Ly limit times a dilution factor w








Fig. Ni II diagnostics of the dilution factor. The line ratios are computed for  $T_{\rm c}{=}5000$ , 7000, and 9000K. The observed line ratios are depicted by horizontal lines

Diagnostics were carried out from spectra of all species available. The average conditions are  $\mathtt{T_e}{=}6000$  K,  $\mathtt{N_e}{=}10^7$  cm³, and  $\mathtt{w}{=}10^9$  although there is evidence from significant spatial variations.

We estimate the relative abundances of various elements. The main uncertainty here remains in the determination of ionic fractions, which is hampered by lack of detailed modeling of the plasma.




Fig. Abundances in the filament vs. first ionization potential




Fig. Abundances in the filament vs. condensation temperature

### Non-equilibrium condensation in $\boldsymbol{\eta}$ Carinae

If originally all elements were in gas and condensed we would expect a behavior opposite to what is observed. Heating and evaporation of grains does not work either. We propose non-equilibrium condensation in a photoionized plasma.

As the filament is shielded from photons with energies above 8 eV, elements with equal or higher FIP (e.g. Fe, Ni) recombine and condense but elements with lower FIP (e.g. Sc, Ti, Sr) remain ionized and their condensation is delayed.

In  $\eta$  Car, like in all supermassive stars, the abundances of C and O are very low due to incomplete CNO processing. Thus, unlike in most well studied scenarios in condensation in  $\eta$  Car is driven by N. In N driven condensation non-equilibrium condensation is more likely to occur.

## Conclusions and discussion

Ti and Sc are believed to be important seeds to the formation of C-based dust grains. Delaying condensation of these elements in circumstellar nebula would have important consequences on the whole dust content:

-Dust in the circumstellar nebula should be mostly made of silicates

-The dust-to-gas-ratio should be considerably lower than in galactic gas nebulae

-Likely, this effect is common to variable, massive, very bright stellar systems

-Systems of these kind were particularly important to galactic evolution in the early Universe.